## EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	((ESTIBALIZ) near2 (CHINEA)).INV.	US-PGPUB; USPAT	OR	ON	2009/05/19 16:28
S2	4	((MIGUEL) near2 ("DE VEGA RODRIGO")).INV.	US-PGPUB; USPAT	OR	ON	2009/05/19 16:29
33	2	((MIGUEL) near2 ("DE VEGA RODRIGO")).INV. and (idle or busy or gap or block\$3).dm.	US-PGPUB; USPAT	OR	ON	2009/05/19 16:29
34	36	"20030137972" or "5398129"	US-PGPUB; USPAT	OR	ON	2009/05/19 16:29
\$5	13077	(connect\$4) same ((block\$3 or guard or gap or idle) near2 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:31
<b>36</b>	26621	OBS or (Optical near2 Burst near2 Switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:32
57	143	S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:32
38	121	S7 and (@pd<"20050104" or @ad<"20050104" or @prad<"20050104" or @rlad<"20050104" or @prad<"20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:32
<b>3</b> 9	3131	(connect\$4) same ((block\$3 or guard or gap or idle) near2 time) same (expir\$5 or end or ceas\$3 or finish\$3 or laps\$3 or quit\$3 or stop\$4 or terminat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:34
S10	21	S9 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:34
S11	19	S10 and (@pd<"20050104" or @ad<"20050104" or @prad<"20050104" or @rlad<"20050104" or @prad<"20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:34

S12	135417	"370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:35
S13	26891	"398".das.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:35
S14	161013	S12 or S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:35
S15	1295	S12 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:36
S16	4	S15 and S5 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/19 16:36
S17	4553	370/464,477,498,522,528.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 11:56
S18	132229	(guard\$3 or gap\$4 or block\$3 or idle) near2 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 11:57
S19	302335	data near2 (packet or burst or frame or datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 11:57
S20	3575	S18 same S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 11:57
S21	59	S17 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 11:57

S22	2	S21 and (@pd< "20050104" or @ad< "20050104" or @prad< "20050104" or @rlad< "20050104")  @ptad< "20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 11:58
S23	4	(("DE VEGA RODRIGO")).INV.	US-PGPUB; USPAT	OR	ON	2009/05/22 12:02
S24	16	(("DE VEGA") near2 ("RODRIGO")).INV.	US-PGPUB; USPAT	OR	ON	2009/05/22
S25	15	(("DE VEGA") near2 ("RODRIGO")).INV. and (block\$3)	US-PGPUB; USPAT	OR	ON	2009/05/22 12:03
S26	5	(("DE VEGA") near2 ("RODRIGO")).INV. and (block\$3) near2 time	US-PGPUB; USPAT	OR	ON	2009/05/22 12:03
S27	31420	370/464,477,498,522,528.cds. or "398".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:42
S28	124742	connect\$4 near2 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:42
329	1944	remain\$4 with (connect\$4 near2 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:43
330	2	S18 same S19 same S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:44
331	14	(S18 same S29) and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:44
532	4	(S18 and S29) and S19 and (reserv\$5 near2 request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:45
333	0	S18 same S29 same (reserv\$5 near2 request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:47

S34	1	(S18 same S29) and (reserv\$5 near2 request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:47
\$35	1944	S28 same S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:49
S36	16	S35 and (reserv\$5 near2 request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:49
S37	192	S35 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:53
\$38	182	S37 and (@pd<"20050104" or @ad<"20050104" or @prad<"20050104" or @rlad<"20050104" or @ptad<"20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:53
S39	0	S38 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:54
S40	26649	OBS or (Optical near2 Burst near2 Switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:55
S41	17	S35 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:55
S42	16	S41 and (@pd<"20050104" or @ad<"20050104" or @prad<"20050104" or @rlad<"20050104" or @prad<"20050104" or @prad<"20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:55
S43	11041	reserv\$5 with (HORIZON or JET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:57

S44	11	S43 same S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 12:58
S45	1329	370/538,477.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:00
S46	1247	S45 and (@pd<"20050104" or @ad<"20050104" or @prad<"20050104" or @rlad<"20050104" or @prad<"20050104" or @prad<"20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:00
S47	1	S46 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:00
S48	137	S18 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:01
S49	2	(S18 same S28) and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:01
350	21	(S18 and S28) and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:02
S51	8	S45 and (remain\$4 with connect\$4 with (time or period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:26
S52	0	"398".ccls. and (remain\$4 with connect\$4 with (time or period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:44
S53	69	"398".clas. and (remain\$4 with connect\$4 with (time or period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:44

S54	63	S53 and (@pd< "20050104" or @ad< "20050104" or @prad< "20050104" or @rlad< "20050104" or @ptad< "20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:44
S55	35	((bandwidth or rate or throughput) with (reserv\$5)) same (remain\$4 with connect\$4 with (time or period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:47
S56	34	S55 and (@pd< "20050104" or @ad< "20050104" or @prad< "20050104" or @rlad< "20050104" or @ptad< "20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:47
S57	28576	(no or unavail\$5 or busy) with connect\$4 with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:54
S58	835	\$57 same (remain\$4 with connect\$4 with (time or period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:54
S59	5	\$58 and \$40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:54
S60	4	S59 and (@pd< "20050104" or @ad< "20050104" or @prad< "20050104" or @rlad< "20050104" or @prad< "20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:54
S61	2	S58 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:55
S62	29510	(no or unavail\$5 or busy or inaccess\$4 or unus\$4) with connect\$4 with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:57
S63	4135	(none or unavail\$5 or busy or inaccess\$4 or unus\$4) with connect\$4 with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:57

S64	158	S63 same (remain\$4 with connect\$4 with (time or period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:57
S65	144	S64 and (@pd<"20050104" or @ad<"20050104" or @prad<"20050104" or @rlad<"20050104" or @prad<"20050104" or @prad<"20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:57
366	26935	S65 and "370".clas. or "398".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:58
S67	24	S65 and ("370".clas. or "398".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 14:58
S68	161195	"370".das. or "398".das.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:00
S69	138659	S68 and (@pd<"20050104" or @ad<"20050104" or @prad<"20050104" or @rlad<"20050104" or @prad<"20050104" or @prad<"20050104" or @rlad<"20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:00
<b>3</b> 70	190	(connection with reserv\$5) same (remain\$3 with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:05
 \$71	55	S69 and S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:05
S72	2	(one near2 way) same (connection with reserv\$5) same (remain\$3 with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:10
S73	481	(one near2 way) same (connection with reserv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:11

S74	42	S68 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:11
S75	38	S69 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:12
S76	0	(temporar\$3 near2 connect\$4) same (remain\$3 near2 time) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:16
\$77	0	(temporar\$3 near2 connect\$4) same (remain\$3 near2 time) same (request\$3 or reserv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:17
S78	688	(connect\$4) same (remain\$3 near2 time) same (request\$3 or reserv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:17
S79	597	\$78 and (@pd< "20050104" or @ad< "20050104" or @prad< "20050104" or @rlad< "20050104" or @prad< "20050104" or @prad< "20050104" or @rlad< "20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:17
S80	102	(connect\$4) same (remain\$3 near2 time) same (request\$3 or reserv\$5) same (send\$3 or transmit\$3) same (receiv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:18
S81	87	S80 and (@pd< "20050104" or @ad< "20050104" or @prad< "20050104" or @rlad< "20050104" or @prad< "20050104" or @prad< "20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:18
S82	1622	(connect\$4 or session) same (length or time or period) same (reserv\$5 or request\$3) same remain\$3 same (receiv\$3) same (send\$3 or transmi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:30
S83	4	S82 and (Optical near2 Burst near2 Switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 15:30

S84	94	reserv\$5 with capacity same (remain\$3 near2 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:17
S85	94	(reserv\$5 with capacity) same (remain\$3 near2 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:17
S86	1	S85 and (Optical near2 Burst near2 Switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:17
S87	0	\$85 and "398".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:18
S88	4	S85 and ("398".clas. or "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:18
S89	97	(reserv\$5 with capacit\$3) same (remain\$3 near2 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:19
S90	4	\$89 and ("398".clas. or "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:19
S91	67	((desir\$3 or prefer\$3) with (duration or length) with (period or time)) same (reserv\$5 or request\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:22
S92	0	S91 and (Optical near2 Burst near2 Switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:22
S93	15	S91 and ("398".clas. or "370".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:22

S94	174	S70 and (@pd<"20050104" or @ad<"20050104" or @prad<"20050104" or @rlad<"20050104" or @ptad<"20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:25
S95	47	S91 and (@pd<"20050104" or @ad<"20050104" or @prad<"20050104" or @rlad<"20050104" or @prad<"20050104" or @prad<"20050104" or @prad<"20050104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:26
S96	3	S95 and ((acknowledg\$5 or ack) same time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:30
S97	3	"20030099243"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 16:32
S98	24362	370/229,230,232,351,352,355,395.1,395.2,395.21,428,429,464,477,498,522,528.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:10
S99	33	S98 and (Optical near2 Burst near2 Switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:11
S100	3	S99 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/22 17:11

## 5/22/2009 5:15:18 PM

 $\textbf{C:} \ \, \textbf{Documents and Settings!} \ \, \textbf{pmasur!} \ \, \textbf{My Documents!} \ \, \textbf{2009!} \ \, \textbf{2009 - Quarter 3!} \ \, \textbf{10\_585713!} \ \, \textbf{10\_585713.wsp}$